



Installation Guide – Invisily Windows S2S Client

Table of Contents

1	Introduction	3
2	Requirements	3
2.1	Hardware	3
2.2	Software	3
3	Prerequisites	3
3.1	Dot Net Framework	3
3	Install	3
4	Run	8
5	Sniffer Configuration	8
6	Uninstall	9
7	Troubleshoot	10

1 Introduction

This document will guide you to install Invisily S2S Client on Windows devices.

2 Requirements

Following are the hardware and software requirements:

2.1 Hardware

- Processor: Minimum 2+ GHz Dual Core x86
- Memory (RAM): 4 GB

2.2 Software

Supported Operating Systems:

- Windows 10 (32/64 bit)
- Windows 11 (32/64 bit)
- Windows Server 2012 (64 bit)


3 Prerequisites

3.1 Dot Net Framework


Invisily S2S client requires Dot Net Framework Redistributable v4.6.1 for MFA related functionality. It can be downloaded from [here](#).

3 Install


1. Extract the installer (**invisily_client.exe**) from the compressed ZIP file.
2. Double click on the installer and click on **Yes**. (Note: It is recommended that there will be only one instance of the Agent installed on one machine. Make sure that any previous installation is uninstalled before proceeding with the new one.)
3. The installation wizard will start, click **Next**.




4. On the next screen, the **Invisily Client** will ask to choose adapter from the available list of adapters for S2S configuration. Select the adapter and click **Next**.




5. On the next screen, select the shortcuts you need and click **Next**.




6. On the next screen, verify and click **Install**.




7. On the next screen, the **Invisily Client** will ask for **WinPcap** installation for S2S configuration. To continue for installation, click **Next**.




8. The installation wizard will start, accept the license agreement and click **Next**.



9. Click **Install** to start installation of WinPcap.



10. After the Installation step of **WinPcap** is complete, click **Finish**.



11. After the Installation step is complete, click **Finish**.

4 Run

1. Run "**Invisily Client**" by shortcut from (Desktop or Start Menu).
2. Enter your credentials and click **Login**.
3. On successful login, the services list will be displayed.

5 Sniffer Configuration


If IP address assigned to interface is changed by the admin. Then user needs to reconfigure the sniffer by following below steps:

1. Open **Notepad** by right click on it and by selecting **Run as Administrator** option.
2. Copy the contents of **sniffer_config.cfg** present in **C:\Program Files (x86)\Invisily\configs** directory.
3. Paste the copied content on Notepad and update the respective field of ip with new ip address.


4. Save the file in **C:\Program Files (x86)\Invisily\configs** directory by naming it as **sniffer_config.cfg**. (Choose replace option while saving)
5. Now, go to **Task Manager**. Open **Services** Tab. Right click on **invisily_sniffer** service and select **Restart**.

6 Uninstall


1. Go to **Start menu** → **Invisily Uninstall**, right click on **Uninstall** and select **Run as Administrator** or go to the **Control Panel** → **Uninstall a program** → **Invisily Client** → **Uninstall**.
2. Popup notification will show up asking for the user to **Uninstall WinPcap**. Click **Uninstall**.



3. After **Uninstallation** of **WinPcap**, the user will be notified with another popup notification. Click **Finish**.



4. After complete **Uninstallation**, the user will be notified with another popup notification.



7 Troubleshoot

The log files are maintained at this path:

C:/Program Files (x86)/Invisily/logs